

ADMITTANCE TO AUTHORIZED PERSONNEL ONLY



CAUTION: The following hazards are present within this area:



Flammables
Self Reactives
Pyrophorics
Self-Heating
Emits Flammable Gas
Organic Peroxides



Oxidizers



Explosives
Self Reactives
Organic Peroxides



Corrosives



Carcinogen
Respiratory Sensitizer
Reproductive Toxicity
Target Organ Toxicity
Mutagenicity
Aspiration Toxicity



Irritant
Dermal Sensitizer
Acute toxicity (harmful)
Narcotic Effects
Respiratory Tract Irritation




Acute Toxicity (severe)



Gas Under Pressure

Biohazards
IBC #



Human pathogens
 Viral vectors

BSL _____

Special procedures required for entry or exit:

Strong Magnetic Field

Laser (Class _____)

Electrical Hazard

Radioactive Material

Room Number: _____

Department: _____

Principal Investigator: _____ **Supervisor:** _____

Emergency and After Hours Contacts for this Laboratory:

Name	Office Location	Office Phone	Cell or Home Phone

University of Kentucky
ENVIRONMENTAL HEALTH AND SAFETY

Biological Safety 257-1049
Environmental Management 323-6280
Occupational Health and Safety 257-3242
Radiation Safety 323-6777

IN CASE OF EMERGENCY CALL 911

The information on this sign must be updated at least annually or in the event of any change of emergency contacts or special hazards.

Prepared by: _____ Date Posted: _____